

Прайс-лист на продукцию Vinmak

Представленная информация носит ознакомительный характер и ни при каких условиях не является публичной офертой. Для получения подробной информации о наличии и стоимости указанных товаров, пожалуйста, обращайтесь к нашим менеджерам по указанным контактам. Названия производителей или компаний, описания и фирменные наименования используются в справочных целях, а права на товарный знак являются исключительной собственностью владельца товарного знака и патента.

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bki@nt-rt.ru || сайт: <https://binmak.nt-rt.ru/>

MODEL	Bending capacity (mm)	Bending length (mm)	LIST PRICE EURO €
4R BHSS 20-280	16/20 mm	2050	96.993
4R BHSS 20-320	20/25 mm		113022
4R BHSS 20-350	25/30 mm		129987
4R BHSS 20-380	30/40 mm		173277
4R BHSS 20-400	35/45 mm		198081
4R BHSS 20-460	40/50 mm		242541
4R BHSS 20-500	45/55 mm		Price on request
4R BHSS 20-550	50/60 mm		Price on request
4R BHSS 25-280	12/16 mm	2550	106821
4R BHSS 25-320	16/20 mm		122265
4R BHSS 25-350	20/25 mm		137826
4R BHSS 25-380	25/30 mm		183339
4R BHSS 25-400	30/40 mm		210470
4R BHSS 25-460	35/45 mm		260130
4R BHSS 25-500	40/50 mm		Price on request
4R BHSS 25-550	45/55 mm		Price on request
4R BHSS 30-280	10/12 mm	3100	114530
4R BHSS 30-320	12/16 mm		131950
4R BHSS 30-350	16/20 mm		148460
4R BHSS 30-380	20/25 mm		197990
4R BHSS 30-400	25/30 mm		219700
4R BHSS 30-460	30/40 mm		280280
4R BHSS 30-500	35/45 mm		Price on request
4R BHSS 30-550	40/50 mm		Price on request
4R BHSS 30-580	45/60 mm		Price on request
4R BHSS 30-620	60/70 mm		Price on request
4R BHSS 30-680	70/85 mm		Price on request
4R BHSS 40-280	6/8 mm	4100	135850
4R BHSS 40-320	8/10 mm		155220
4R BHSS 40-350	10/12 mm		178490
4R BHSS 40-380	12/16 mm		223210
4R BHSS 40-400	16/20 mm		252330
4R BHSS 40-460	20/25 mm		329940
4R BHSS 40-500	25/35 mm		Price on request
4R BHSS 40-550	30/40 mm		Price on request



On ALL HSS MODELS

Included

- » Top Roll and Lateral Rolls are powered by hydromotor and planetary gearbox (3 roll driven system)
- » Three digital readouts (3Pcs) for easy roll positioning
- » Bottom roll is free (idle)
- » Hydraulic Drop-End for easy removal of finished ferrule
- » Easy operation with mobile control panel with push buttons
- » Welded steel frames
- » Induction hardened steel rolls
- » Conical bending device
- » Central lubrication system (Manual)
- » Air cooling system standard models 4RBHSS
- » Built according to EC safety directives
- » Lateral side rolls with direct linear piston movement from frame Ø380 and above
- » Double speed working system

Optional Accessories	Price List Euro €
» Hydraulic Overhead Crane (up to Ø350mm top roll)	11050
» Hydraulic lateral side support (up to Ø350mm top roll) (1pcs on 1side)	6552
» Hydraulic Overhead Crane (up to Ø460mm top roll)	14950
» Hydraulic lateral side support (up to Ø460mm top roll) (1pcs on 1side)	9230
» Infinitely variable stepless speed control (hydraulic on machine)	4680
» Infinitely variable stepless speed control (electronic on control panel)	7670
» Oil cooling system for models Ø280-Ø320-Ø350	4680

MODEL	Bending Capacity (mm)	Bending Length (mm)	LIST PRICE EURO
4R-BHS 15-150	4/6 mm	1550	36660
4R-BHS 15-180	6/8 mm		42120
4R-BHS 20-150	4/6 mm	2050	40950
4R-BHS 20-180	4/6 mm		46020
4R-BHS 20-200	6/8 mm		53690
4R-BHS 20-220	8/10 mm		60840
4R-BHS 20-245	10/13 mm		65650
4R-BHS 20-260	13/16 mm		70720
4R-BHS 25-180	4/6 mm	2550	52520
4R-BHS 25-200	6/8 mm		55900
4R-BHS 25-220	7/9 mm		62790
4R-BHS 25-260	10/13 mm		74880
4R-BHS 30-180	3/5 mm	3100	57460
4R-BHS 30-200	4/6 mm		60320
4R-BHS 30-220	6/8 mm		67340
4R-BHS 30-245	7/9 mm		72670
4R-BHS 30-260	8/10 mm		79170
4R BHS 40-260	4/6 mm	4100	102050

Standard Equipments

- » Induction hardened rolls
- » Digital read-outs (3 pcs)
- » Central lubrication system
- » Lateral side and bottom rolls are free (idle)
- » All models only top roll hydromotor and planetary gearbox driven
- » Conical bending device
- » Built according to EC Safety Directives
- » 2 speed working system
- » Mobile control panel with push buttons
- » Lateral side rolls with orbital swing guide piston movement



Optional Accessories	Price List Euro €
» Hydraulic Overhead Crane	7280
» Hydraulic lateral side support (1pcs on 1side)	4680
» Infinitely variable stepless speed control (hydraulic on machine)	4680
» Infinitely variable stepless speed control (electronic on control panel)	7020
» Oil cooling system for models Ø280-Ø320-Ø350	3380

MODEL	Bending Capacity (mm)	Bending Length (mm)	LIST PRICE EURO
4-DMS 10-60	0,8/1,2 mm	1050	Price on request
4-DMS 10-75	1/1,5 mm	1050	Price on request
4-DMS 10-90	2/2,5 mm	1050	Price on request
4-DMS 10-130	4/5 mm	1050	Price on request
4-DMS 15-90	1,5/2 mm	1550	Price on request
4-DMS 15-130	3/4 mm	1550	Price on request
* NC Unit			
* Feeding table			



MODEL	Bending Capacity (mm)	Bending Length (mm)	LIST PRICE EURO
4R-BMS 1270-150	5/7 mm	1270	37232
4R-BMS 1270-180	7,5/10 mm		40430
4R-BMS 1270-200	10/12 mm		43758
4R-BMS 1550-150	4,5/6,5 mm	1550	41600
4R-BMS 1550-180	7/9 mm		47190
4R-BMS 1550-220	10/12 mm		59150
4R-BMS 2050-150	4/6 mm	2050	48100
4R-BMS 2050-180	6/8 mm		50440
4R-BMS 2050-200	8/10 mm		57980
4R-BMS 2050-220	9/11 mm		65650
4R-BMS 2050-250	10/12 mm		72150
4R-BMS 2550-180	4/6 mm	2550	59150
4R-BMS 2550-200	6/8 mm		65650
4R-BMS 2550-220	7/9 mm		73320
4R-BMS 2550-250	8/10 mm		80990
4R-BMS 3050-180	3/4 mm	3050	65650
4R-BMS 3050-200	4/6 mm		72280
4R-BMS 3050-220	6/8 mm		79950
4R-BMS 3050-250	7/9 mm		87490
4R-BMS 4050-250	4/6 mm	4050	113945



Standard Equipments

- » Induction hardened rolls
- » Mobile control panel with push buttons
- » Digital read-outs (3 pcs)
- » Top and bottom rolls with planetary gearbox and electric motor driven
- » Lateral side rolls with orbital swing guide piston movement
- » Conical bending device
- » Built according to EC Safety Directives

Optional Accessories	Price List Euro €
» Hydraulic Overhead Crane	9880
» Hydraulic lateral side support (1pcs on 1side)	7150
» Infinitely stepless speed control (only possible with hydromotor)	3861
» Optional hydromotor for models 220-250 Top roll dia	6091.8
» 2 Speed motor rotation	3003
» Variable speed	4804.8

MODEL	Bending Capacity (mm)	Bending Length (mm)	Price List Euro €
3-HS 20-210	13/10 mm	2050	48672
3-HS 20-240	14/13 mm		56160
3-HS 20-280	18/16 mm		67340
3-HS 20-300	22/20 mm		76700
3R-BHSS 20-320	20/25 mm		101660
3R-BHSS 20-350	25/30 mm		116870
3R-BHSS 20-380	30/35 mm		156000
3R-BHSS 20-420	35/40 mm		176020
3R-BHSS 20-460	40/50 mm		218933
3-HS 25-210	10/8 mm	2550	54340
3-HS 25-240	13/10 mm		62790
3-HS 25-280	16/13 mm		76700
3-HS 25-300	18/16 mm		85280
3R-BHSS 25-320	16/20 mm		110045
3R-BHSS 25-350	20/25 mm		124020
3R-BHSS 25-380	25/30 mm		164970
3R-BHSS 25-420	30/35 mm		188500
3R-BHSS 25-460	35/45 mm		234000
3-HS 30-210	8/6 mm	3100	60970
3-HS 30-240	10/8 mm		68250
3-HS 30-280	13/10 mm		83460
3-HS 30-300	16/13 mm		93600
3R-BHSS 30-320	13/16 mm		118950




Standard Equipments

- » Induction hardened rolls
- » Mobile control panel with push buttons
- » Digital read-outs (3 pcs)
- » Extended roll shafts standard up to Ø460 models
- » Central lubrication system
- » All 3 rolls separately planetary gearbox and hydromotor driven
- » Lateral side rolls with orbital swing guide piston movement
- » Air cooling system standard models -BHSS Ø380 and above
- » Conical bending device
- » 2 Speed working system
- » Built according to EC Safety Directives

Optional Accessories	Price List Euro €
» Hydraulic Overhead Crane (up to Ø350 mm top roll)	10140
» Hydraulic lateral side support (up to Ø350 mm top roll) (1 pc on 1 side)	6500
» Hydraulic Overhead Crane (up to Ø460 mm top roll)	14950
» Hydraulic lateral side support (up to Ø460 mm top roll) (1 pc on 1 side)	10010
» 1 set section bending rolls (up to model Ø350 mm)	4576
» 1 set section bending rolls (up to model Ø460 mm)	7293
» Infinitely variable stepless speed control (hydraulic on machine)	5980
» Oil cooling system	5135

MODEL	Bending Capacity (mm)	Price List Euro €	Option 1	Option 2	Option 3
3-KRS 1050-130	7 mm	17784	1378	2067	1547
3-KRS 1050-150	8 mm	18817.5	1560	2067	1547
3-KRS 1050-170	9 mm	20540	1716	2067	1547
3-KRS 1050-190	10 mm	24518	2028	2067	1547
3-KRS 1550-130	6 mm	22100	2067	2067	1547
3-KRS 1550-150	7 mm	24960	2327	2067	1547
3-KRS 1550-170	8 mm	30108	2405	2067	1547
3-KRS 1550-190	9 mm	32500	2561	2067	1547
3-KRS 2050-130	4 mm	24960	2210	2067	1547
3-KRS 2050-150	5 mm	28080	2405	2067	1547
3-KRS 2050-170	6 mm	28405	2561	2067	1547
3-KRS 2050-190	7 mm	30127.5	2730	2067	1547
3-KRS 2050-220	9 mm	35906	2990	2067	1547
3-KRS 2550-150	4 mm	28405	2561	2067	1547
3-KRS 2550-180	5 mm	34190	2730	2067	1547
3-KRS 2550-190	6 mm	35880	3081	2067	1547
3-KRS 2550-220	7 mm	37635	3770	2067	1547
3-KRS 3050-160	3 mm	37960	3081	2067	1547
3-KRS 3050-190	4 mm	39390	3250	2067	1547
3-KRS 3050-200	5 mm	42380	3419	2067	1547
3-KRS 3050-220	6 mm	46150	4290	2067	1547



Motorized bottom roll	990
-----------------------	-----

Option 1 : Hardened rolls

Option 2 : Motorised bottom roll (Power RearRoll)

Option 3 : Digital Read-Out for back roll

Standard Equipments

- » Initial pinch hydraulic bending machine
- » Steel construction welded frame
- » Motorised back roll (Power rear roll)
- » Mobile control panel with push buttons
- » Central lubrication system
- » Conical bending device
- » Top and bottom rolls two rolls with planetary gearbox and electric motor
- » Manual drop end by hand

3-LBS /3-MBS /3-MBK

Motorised 3-Roll Plate bending Machines

MODEL	Bending Capacity (mm)	Price List Euro €	Option 1	Option 2	Option 3
3-LBS 1050-110	4,0 mm	11960	1040	1430	1430
3-LBS 1050-130	5,0 mm	12610	1202.5		
3-LBS 1250-110	4,0 mm	12220	1040	1430	1430
3-LBS 1250-120	5,0 mm	12610	1202.5		
3-LBS 1250-140	6,0 mm	13650	1365		
3-LBS 1550-110	3,0 mm	13650	1040	1430	1430
3-LBS 1550-130	4,0 mm	14365	1365		
3-LBS 2050-110	2,5 mm	14040	1885	1430	1430
3-LBS 2050-130	3,0 mm	15054	2067		
3-LBS 2050-140	4,0 mm	15756	2730		



Standard Specifications for 3-LBS Models

- » Initial pinch hydraulic bending machine
- » Conical bending device
- » Cast iron heavy frame
- » Manual adjustable back roll by hand
- » Back and bottom roll with wire grooves
- » CE Mark

Motorised					
MODEL	Bending Capacity (mm)	Price List Euro €	Option 1	Option 2	Option 3
3-MBS 1050-90	3,0 mm	5882.5	637	1430	1430
3-MBS 1250-90	2,5 mm	6370	747.5		
3-MBS 1550-90	2,0 mm	6838	955.5		
3-MBS 2050-95	1,5 mm	7475	1118		
Manual					
3-MBK 1050-70	1,8 mm	5245.5	578.5	---	---
3-MBK 1250-70	2,0 mm	5564	578.5		
3-MBK 1550-75	1,5 mm	5882.5	637		



Standard Specifications for 3-LBS Models

- » Initial pinch hydraulic bending machine
- » Cast iron heavy frame
- » Manual adjustable back roll by hand
- » CE Mark
- » 2 Speed motor optionel (please ask for price)
- » Back and bottom rolls easily adjustable
- » Conical bending device
- » Back and bottom roll with wire grooves
- » 3-MBS Model is motorised - 3-MBK Model is manual

Option 1 : Hardened rolls

Option 2 : Motorised back roll (Power RearRoll)

Option 3 : Digital Read-Out

MODEL	Bending Capacity (mm)	Price List Euro €	Hardened Rolls
3-MR 1050-46	0,8 mm	3835	260
3-MR 1050-56	1,0 mm	4290	273
3-MR 1050-70	1,5 mm	5655	494
3-MR 1270-46	0,8 mm	4290	273
3-MR 1270-56	1,0 mm	4615	286
3-MR 1270-70	1,2 mm	5980	494
3-MR 1550-70	1,0 mm	6331	572



Manual			
MODEL	Bending Capacity (mm)	Price List Euro €	Hardened Rolls
3-MS 1050-46	0,8 mm	2041	260
3-MS 1270-46	1,2 mm	2405	273




Standard Specifications for 3-MR and 3-MS Models

- » 3-MR Model is motorised - 3-MS Model is manual by hand
- » Initial pinch hydraulic bending machine
- » Cast iron heavy frame
- » Back and bottom rolls easily adjustable
- » Back and bottom roll with wire grooves
- » CE Mark



MODEL	Price List Euro €	NC Unit	Digital Read-Out €	Hardened Rolls
BMP 30	5109	Not		1170
BMP 40	5655	Available		1170



BMP MODELS (Hydraulic)

MODEL	Price List Euro €	NC Unit	Digital Read-Out €	Hardened Rolls
BMP 50	13364	See the list	975	1313
BMP 50-2 (2 rolls motor drive)	11115		975	1560
BMP 60	18590		975	1690



BMP MODELS (Hydraulic)

MODEL	Price List Euro €	NC Unit	Digital Read-Out €	Hardened Rolls
BMP 80	26325	See the list	2 Pcs Standard	3361
BMP 100	44460			4147
BMP 120	68640			Standard



BMP MODELS (Hydraulic)

MODEL	Price List Euro €	NC Unit	Digital Read-Out €	Hardened Rolls
BMP 160	154700	See the list	1 pc standard	Standard
BMP 180	215280			
BMP 200	255580			
BMP 240	Price on request			
BMP 280	Price on request			
BMP 300	Price on request			

- » BMP 60, BMP 80 and BMP 100 models mechanical manual lateral angle guide rolls are standard.
- » MBP 120, BMP 150, BMP 160, BMP 180, BMP 200 and bigger sizes.

- »» 3 Axis hydraulic lateral guide rolls are standard.
- »» Hydraulic 2 axis hydraulic lateral guide rolls is optional BMP 80.
- »» Hydraulic 3 axis hydraulic lateral guide rolls is optional BMP 100.

»»» BMP 100 Variable speed adjustment optional	6521
--	------

BMP 4R-70 / BMP 4R-90

4 Roll Hydraulic Pipe & Profile Bending Machine

BMP Models (Hydraulic)	Price List Euro €	NC Unit	Digital Read-Out €	Angle Lateral Guide Rolls
BMP 4R-70	29900	8255	1 Pc standard	Standard
BMP 4R-90	38480			
BMP 4R-110	59020			



Standard Equipments

- » Steel welded construction frame.
- » Top roll and bottom roll powered by hydromotor.
- » Horizontal and vertical working position.
- » Mobile control panel.
- » Hardened standard rolls.
- » Bottom and lateral rolls hydraulic movable in linear way.
- » Digital read-out.
- » 3 Axis manual lateral guide rolls.
- » CE Norm.
- » User's manual.

Optional Equipment

» NC Control	Price on request
» Variable speed adjustment	Price on request
» Hydraulic lateral guide rolls (2 axis)	Price on request
» Pipe/tube bending rolls	Price on request
» Profile bending rolls	Price on request
» Angle bending rolls	Price on request

Hydraulic Flat Bar Spiralling Machine

BMP Models (Hydraulic)	Price List Euro €	NC Unit	Digital Read-Out €	Angle Lateral Guide Rolls
BFS	70148	8255	1 Pc Standard	Standard



Standard Equipments

- » Hydraulic spiral adjustment system.
- » Steel welded construction frame.
- » 3 Rolls are powered.
- » Horizontal and vertical working position.
- » Hardened standard rolls.
- » Hardened and ground shafts.
- » Digital read-outs. (2pcs)
- » Brake motor equipped for the precision bending.
- » Mobile control panel.
- » CE Rating.

Optional Equipment

» NC Control	Price on request
--------------	------------------

Automatic Flange Forming Machine w/Punch System

MODEL	Material Thickness	Material Diameter	Price Euro
FBM	1-10 mm	250-2500 mm	Price on request



Hydraulic Flange Forming and Beading Machine

MODEL	Material Thickness	Material Diameter	Price Euro
KBS	Optional	Optional	Price on request



Automatic Beading Machine

MODEL	Material Thickness	Material Diameter	Price Euro
BK-H	Optional	Optional	Price on request



Automatic Dual Sided Beading Machine

MODEL	Material Thickness	Material Diameter	Price Euro
KBX	3 mm	1100	Price on request



Specially Designed 4 Roll Plate Bending Machine with Support Systems

MODEL	Bending Capacity	Bending Length	Price Euro
4R-SBS	Changable sizes according to request	Changable sizes according to request	Price on request



Hydraulic Flange Forming and Beading Machine

MODEL	Material Thickness	Material Diameter	Price Euro
3R-SB	Changable sizes according to request	Changable sizes according to request	Price on request
3R-SB (Fully Automatic)	Changable sizes according to request	Changable sizes according to request	Price on request



Automatic Beading Machine

MODEL	Material Thickness	Material Diameter	Price Euro
4R-SP	Changable sizes according to request	Changable sizes according to request	Price on request



Guard Rail Beading Machine

MODEL	Material Thickness	Material Diameter	Price Euro
3R-RB	Changable sizes according to request	Changable sizes according to request	Price on request



Special 4 Roll Conical Bending Machine

MODEL	Bending Capacity	Bending Length	Price Euro
4R-MC 10-155	4 mm	1050	Price on request

Standard Equipments

- » Pinch roll and lateral rolls move as linear.
- » Overload protection.
- » Special polished rolls.
- » 5 Digital read-outs for easy roll positioning.
- » Hydraulic/pneumatic drop end for easy removal.
- » Easy operation with mobile control panel.
- » Welded steel construction.
- » Induction hardened rolls.
- » Cone machined rolls.
- » CE Rating.


Optional Equipment

- » Double speed system.
- » Polished rolls.
- » Variable speed adjustment system.

Sydraulic 2 Rolls Fast Type Plate Rolls

MODEL	Bending Capacity	Bending Length	Price Euro
2-BT2 1100-185	3 mm	1100	Price on request
2-BT2 1100-100	1 mm	1100	Price on request


Standard Equipments

- » High working capacity. (Serial production)
- » Bending at one capability.
- » Top roll provides to needed diameter and urethane provides to pre-bending.
- » Encoder positioning.
- » Quick change top roll.
- » Mobile control panel.
- » Feeding table.
- » CE Rating.

Optional Equipment

- » Mandrel sleeves for bigger diameters.
- » Changable top roll for different type of material and diameters.
- » Material overhead support for large diameter bendings.
- » Automatic bending feature.
- » NC Control.
- » Automatic ejector system.
- » Automatic feeding system.

Hydraulic 2 Rolls Fast Type Plate Rolls

MODEL	Material Thickness	Material Diameter	Price Euro
2-BT2 2000	max. 4 mm	2000	Price on request
2-BT2 3000	max. 4 mm	3000	Price on request

Lock Seamer Machine Pneumatic	Capacity	Price Euro	Extra Each Roll Set
D-1350	1,2 mm	Price on request	Price on request



Manual, Bordering Machine	Capacity	Price Euro	Extra Each Roll Set
IK 0,8	0,8 mm	793	57
IK 1,2	1,2 mm	1014	72



Bordering Machine Motorised	Capacity	Price Euro	Extra Each Roll Set	Single Phase Motor
IKM 1,2	1,2 mm	3081	85	312
KBM 2,5	2,5 mm	6006	170	364
KBM 4	4 mm	8229	260	416



Hydraulic, Bordering Machine	Capacity	Price Euro	Extra Each Roll Set	Single Phase Motor
KBM H2,5	2,5 mm	11960	170	350
KBM H4	4 mm	12870	290	429



Hydraulic, Horizontal Beading Press	Capacity	Price Euro
BHP 20	20 Ton	10790
BHP 30	30 Ton	13780
BHP 40	40 Ton	16250
BHP 50	50 Ton	22295



Manual, Guillotine Shear	Beading Capacity	Bending Length	Price Euro
ARM-12	ARM Shear	1050*1,5 mm	5005
ARM-13	ARM Shear	1250*1,5 mm	5434



Manual, Folding Machine	Capacity	Price Euro
CK-1302	1300*1,5 mm	4498
CK-2.0	2000*1,2 mm	5187
CK-2.5	2500*1,2 mm	5525



Steel and Iron Rolls for Ring Rolling Machines (Euro)



Pipe - Tube Rolls

MODEL	BMP 30	BMP 40	BMP 50	BMP 60	BMP 80	BMP 100	BMP 120
0 - 33,7 mm	390	442	702	1092	1287	1755	2574
34 - 48,3 mm	429	624	741	1157	1365	1859	2990
49 - 60,3 mm	507	715	819	1261	1534	1859	3185
61 - 76,1 mm				1430	1768	2340	3718
77 - 88,9 mm				1690	2340	2561	4271
89 - 114,3 mm						2730	4739
115 - 139,7 mm							5330
140 - 165,1 mm							5876



Angle Rolls - Section and Profile Rolls

MODEL	BMP 30	BMP 40	BMP 50	BMP 60	BMP 80	BMP 100	BMP 120
30*30*3 mm	780	819	897				
40*40*5 mm	806	845	962				
50*50*6 mm		845	1014	1196	1463	1950	2964
60*60*6 mm				1300	1534	2145	3419
70*70*7 mm				1463	1755	2340	3510
80*80*8 mm					1931	2574	4095
100*100*10 mm						2886	4446
120*120*12 mm							5200
	Please ask for Offer for Other Section Rolls						

Nylon and Plastic Rolls for Ring Rolling Machines (Euro)



Pipe - Tube Rolls

MODEL	BMP 30	BMP 40	BMP 50	BMP 60	BMP 80	BMP 100	BMP 120
0 - 33,7 mm	312	390	520				
34 - 48,3 mm	364	442	546				
49 - 60,3 mm	390	468	624				
61 - 76,1 mm				832	1014	1430	2236
77 - 88,9 mm				858	1092	1547	2340
89 - 114,3 mm					1196	1664	2964
115 - 139,7 mm					1404	1859	3120
140 - 165,1 mm					1859	1950	3640



Angle Rolls - Section and Profile Rolls

MODEL	BMP 30	BMP 40	BMP 50	BMP 60	BMP 80	BMP 100	BMP 120
30*30*3 mm	520	650	689				
40*40*5 mm	533	702	780				
50*50*6 mm		780	858	975	1144	1586	2366
60*60*6 mm				1040	1235	1690	2535
70*70*7 mm				1144	1346	1885	2964
80*80*8 mm						2048	3341
100*100*10 mm						2340	3705
120*120*12 mm							4420
Please ask for Offer for Other Section Rolls							

BMP Pipe Rolls (Euro)

MODEL	BMP 150	BMP 160	BMP 180	BMP 200	BMP 240	BMP 280	BMP 300	
4"	4719	4791	7865	10439	12155	14300	15516	4"
5"	5291	5363	9295	12155	13585	15587	16302	5"
6"	7651	7722	11011	13585	15158	17875	20163	6"
8"			12584	16803	18590	21450	23595	8"
9"				18590	20163	22880	25025	9"
10"					23595	25311	26884	10"
11"						27885	29601	11"
12"							31031	12"

NPU Attacments with hydraulic piston with 1 Set of Rolls		Set of Rolls
NPI Attachments with hydraulic piston with 1 Set of Rolls		Set of Rolls
BMP 120	Price on request	Price on request
BMP 150 /BMP 160	Price on request	Price on request
BMP 180 /BMP200	Price on request	Price on request
BMP 240	Price on request	Price on request
BMP 280 /BMP 300	Price on request	Price on request



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bki@nt-rt.ru || сайт: <https://binmak.nt-rt.ru/>